

# INDEX MAPS.

**T. 3 N., R. 2 E. 2<sup>nd</sup> Mer.**

	131		130		130		129		129		129	
132	6	152	5	147	4	143	3	140	2	136	1	128
	152		151		146		143		139		136	
132	7	150	8	146	9	143	10	139	11	135	12	128
	151		150		146		142		139		135	
132	18	150	17	145	16	142	15	138	14	135	13	128
	150		149		145		142		138		134	
132	19	149	20	145	21	141	22	138	23	134	24	127
	149		148		144		141		137		134	
131	30	148	29	144	28	141	27	137	26	133	25	127
	148		147		144		140		137		133	
131	31	147	32	144	33	140	34	136	35	133	36	127
	125		125-126		125-126		125-126		125-126		125-127	

**T. 4 N., R. 2 E. 2<sup>nd</sup> Mer.**

	160	160-161	160-161	160-161	160-161	159-162						
164	6	182	5	178	4	175	3	173	2	171	1	159
	183		182		179		175		173		171	
163	7	183	8	179	9	176	10	174	11	171	12	159
	184		183		179		176		174		172	
163	18	184	17	180	16	177	15	174	14	172	13	158
	185		184		182		177		174		172	
163	19	184	20		21	177	22	175	23	173	24	158
	170		170		181		177		167		165	
162	30	170	29	181	28	178	27	167	26	165	25	158
	169		169		180		178		168		164	
162	31	169	32	180	33		34	166	35	164	36	157
	157		156		156		155		155		155	

Meanders 185

*Meanders 185*

The figures on the lines refer to the page.

Township N. 4 North, Range N. 2 East 2. Mer. Indiana <sup>155</sup>

### South Boundary

West On the S. boundary of Sec. 36, T4 N. R2 E

40.00 At the q. Sec. post, from which  
a Beech 15 in. dia. bear N 67 W 3 lks. dist. of  
an Elm 24 " " " N 70 E 31 " "

80.00 At a post Cor. to Sec. 35 & 36, from which  
a Hickory 5 in. dia. bear S 43 E 6 lks. dist. of  
an Ash 8 " " " N 15 W 20 "  
Broken land, timber Oak, Ash, Poplar, Hick.  
underbrush Spice &c.

---

West On S. boundary of Sec. 35, T4 N. R2 E

40.00 At the q. Sec. post, from which  
a Dogwood 5 in. dia. bear S 51 W 12 lks. dist. of  
a Hickory 6 " " " N 76 E 23 " "

80.00 At a post Cor. to Sec. 34 & 35, from which  
a Beech 4 in. dia. bear S 72 W 30 lks. dist. of  
a Sugar 10 " " " S 40 E 23 " "  
Land timber &c. Same as on the last mile

---

West On S. boundary of Sec. 34, T4 N. R2 E

21.00 touched the N. side of a brook 20 lks. wide Cr. S. W.

24.00 the same brook 20 lks. wide Cr. S. W.

31.00 Same 20 " " " S. W.

34.00 Same 20 " " " S. W.

40.00 At the q. Sec. post, from which  
a Dogwood 6 in. dia. bear S 70 W 17 lks. dist. of  
a Beech 10 " " " N 70 E 24 " "

71.00 Same brook Course S. W.

79.00 Same brook " S. W.

80.00 At a post Cor. to Sec. 33 & 34, from which  
a B. Walnut 40 in. dia. bear S 44 E 2 lks. dist. of  
a Locust 6 " " " N 7 W 30

T4N R2E, 2<sup>d</sup>. Mer. Indiana

Sand timber &c. same as on the last mile

- West On S. boundary of Sec. 33, T4N. R2E  
 24.00 Set a post on the bank of W. River on the  
 Indian boundary at intersection, from which  
 an Elm 40 in. diam. bears S42W29 lks. dist. &  
 a Maple 8 " " " N35E23 " "  
 31.95 to where the River turned N.W. Set a post at  
 the Crossing of the boundary, from which  
 a Red Bud 6 in. diam. bears S42W2 lks. dist. &  
 a Hickory 8 " " " N44W7 " "  
 40.00 Set the q. Sec. post, from which  
 a Beech 40 in. diam. bears S33E22 1/2 lks. dist. &  
 a Redbud 8 " " " N22E11 " "  
 80.00 Set a post Cor. to Sec. 32 & 33, from which  
 a Hackberry 29 in. diam. bears S67E4 lks. dist. &  
 a Do 12 " " " S5W19 1/2 " "  
 This mile over level rich land.

- West On S. boundary of Sec. 32, T4N. R2E.  
 1.00 Set a post on Indian boundary, or left bank of  
 White River from which  
 a Sycamore 30 in. diam. bears N86E28 lks. dist. &  
 a Do 40 " " " S6E2 " "  
 Course of White river S78W  
 14.50 to White river Cr. N68W, Set a post at the  
 Intersection of the boundary, from which  
 a Beech 40 in. diam. bears S70W2 lks. dist. &  
 a Sugar 10 " " " N7W14 " "  
 40.00 Set the q. Sec. post, from which  
 a Blue Ash 8 in. diam. bears N55E6 lks. dist. &  
 a Beech 10 " " " S10E25 " "  
 80.00 Set a post Cor. to Sec. 31 & 32, from which

T4N R2E 2<sup>d</sup> Mer. Indiana <sup>157</sup>

a Sugar 6 in. diam. bear N 69 E 21 lks. dist. of  
 a Do 7 " " " N 19 E 8 " "  
 Good farming land.

West On S. boundary of Sec. 31, T4N. R2E.  
 8.00 a Creek 50 lks. wide Course N.  
 40.00 At the q. Sec. post, from which  
 a Mulberry 8 in. diam. bear S 18 E 7 lks. dist. of  
 a Hackberry 8 " " " N 8 W 30 " "  
 \* 54.77 At post on Indian boundary line, from which  
 a Beech 10 in. diam. bear S 25 W 26 lks. dist. of  
 a Do 8 " " " S 87 W 6 " "  
 + Note The above corner is South of the true line.  
 75.16 to the Town Corner var. 5° 45' E  
 Over hilly land. Sept. 24<sup>th</sup> 1806.

East Boundary

North On E. boundary of Sec. 36, T4N. R2E  
 12.50 a Creek 200 lks. wide Course N.W.  
 23.00 Same 200 " " " N.E.  
 25.00 a Beech 15 in. diam.  
 40.00 At the q. Sec. post, from which  
 a B. Oak 10 in. diam. bear N 84 W 8 lks. dist. of  
 a W. Oak 5 " " " N 57 E 2 " "  
 48.50 Same Creek Course N.  
 55.00 to where it turned N.W.  
 64.00 Same Creek Course N.  
 68.00 to where it turned N.W.  
 80.00 At a post Cor. to Sec. 25 of 36, from which  
 a Beech 10 in. diam. bear N 88 W. 26 lks. dist. of  
 a Dogwood 5 " " " N 40 E 14 1/2 " "  
 Good land.



## T4 N. R2 E, T. Mer. Indiana.

North On E. boundary of Sec. 25, T4 N. R2 E  
30.50 a W. Ash 24 in. diam.

40.00 Set the q. Sec. post, from which  
a Gum 20 in. diam. bears N24 W 20 lks. dist. &  
a Beech 8 " " " S9 E 22 " "

75.00 a Brook 10 lks. wide Cr. N.E.

80.00 Set a post Cor. to Sec. 24 & 25, T4 N. R2 E, from which  
a Sugar tree 10 in. diam. bears S35 E 7 lks. dist. &  
a Beech 40 " " " S77 W 13 " "

This mile Over rich broken land timber Sugar  
and Poplar.

North On E. boundary of Sec. 24, T4 N. R2 E,

00.06 a Sugar 12 in. diam.

40.00 Set the q. Sec. post, from which  
a W. Ash 40 in. diam. bears S15 E 23 lks. dist. &  
a Hackberry 5 " " " N60 W 9 " "

43.56 Set a post on the Indian boundary on the bank  
of White River at the intersection, from which  
an Ironwood 10 in. diam. bears N18 E 14 lks. dist. &

(var. 6.30.6) a Do 8 " " " S53 E 13 " "

53.21 Set a post on the N.W. side of White River, from which  
a Redbud 8 in. diam. bears S15 W 7 lks. dist. &  
a Locust 20 " " " N8 E 24 " "

80.00 Set a post Cor. to Sec. 13 & 24, from which  
a Hackberry 20 in. diam. bears South 43 lks. dist. &  
an Elm 20 " " " S58 W 23 " "

North On E. boundary of Sec. 13, T4 N. R2 E.

30.00 a Beech 20 in. diam.

40.00 Set the q. Sec. post, from which  
a Beech 15 in. diam. bears S5 W 48 lks. dist. &  
an Elm 12 " " " S76 W 16 " "

T4N. 12E. 2<sup>nd</sup> Mer. Indiana

159

76.00 a Spring run 3 lks. wide C.S.W.

80.00 Set a post Cor. to Sec. 12 & 13, from which  
a Beech 8 in. dia. bear S 12° W 10 lks. dist.  
a do 8 " " " N 22° E 13 " "  
Land rich and rolling, timber Poplar, Beech &c.

North On E. boundary of Sec. 12, T4N. 12E.

28.00 a Brook 4 lks. wide C.W.

40.00 Set the q. Sec. post, from which  
a Hickory 10 in. dia. bear S 83° W 28 lks. dist.  
a Beech 8 " " " N 79° W 25 " "

46.00 a W. Oak 20 " "

71.50 a do 23 " "

80.00 Set a post Cor. to Sec. 1 & 12, from which  
a W. Oak 15 in. dia. bear S 73° W 9 lks. dist.  
an Ironwood 6 " " " S 8° E 40 " "  
Over hilly Land, timber Oak & Hickory.

North On E. boundary of Sec. 1, T4N. 12E.

5.50 a Brook 10 lks. wide C.W.

40.00 Set the q. Sec. post, from which  
a Beech 8 in. dia. bear S 58° E 11 lks. dist.  
a do 6 " " " N 75° W 4 " "

72.00 a Brook 12 lks. wide C.S.W.

77.00 Same 12 " " " S.E.

80.00 Set a post Cor. to Town 4 & 5 N. Range 2 & 3 E.  
from which a Beech 6 in. dia. bear S 34° W 7 lks. dist.  
a Dogw. 6 " " " N 51° W 13 " "  
Land timber &c. same very hilly.

North Boundary

West On Range between Town 4 & 5 N. 12E.

40.00 Set temp. q. Sec. post

T<sup>h</sup>. N. R2 E, T<sup>h</sup>. Mer. Indiana

80.00 Set temp<sup>y</sup>. Mile post.  
Land hilly, timber Oak &c.

Nest 2<sup>nd</sup> Mile On Rand<sup>m</sup>. betw<sup>n</sup>. Towns 4 & 5 N. R2 E.  
40.00 Set temp<sup>y</sup>. 1/2 mile post  
75.50 a Brook 75 lks. wide Cr. South  
80.00 Set temp<sup>y</sup>. Mile post  
(Description Omitted)

Nest 3<sup>rd</sup> Mile On Random between Towns 4 & 5 N. R2 E.  
40.00 Set temp<sup>y</sup>. 1/2 mile post  
60.00 a Spring run 6 lks. wide Cr. S.  
80.00 Set temp<sup>y</sup>. Mile post  
Good farming land, timber same

Nest 4<sup>th</sup> Mile On Rand<sup>m</sup>. betw<sup>n</sup>. Towns 4 & 5 N. R2 E  
40.00 Set temp<sup>y</sup>. 1/2 mile post  
80.00 Set temp<sup>y</sup>. Mile post  
(Description Omitted)

Nest 5<sup>th</sup> Mile On Rand<sup>m</sup>. betw<sup>n</sup>. Towns 4 & 5 N. R2 E.  
9.00 a Creek 100 lks. wide Cr. South  
40.00 Set temp<sup>y</sup>. q. Sec. post  
80.00 Set temp<sup>y</sup>. Mile post.  
Land the same timber Oak, Beech, Poplar &c.

Nest 6<sup>th</sup> Mile On Rand<sup>m</sup>. betw<sup>n</sup>. Towns 4 & 5 N. R2 E.  
40.00 Set temp<sup>y</sup>. 1/2 mile post  
71.25 full South of Town Corner this mile over very  
rich farming land, timber same, underg<sup>d</sup>. Spice

East On true line S. boundary Sec. 31, T<sup>h</sup>. N. R2 E. v. 6. 10. E.  
31.25 Set the q. Sec. post on true line, from which



T<sup>h</sup>. N. R<sup>2</sup> E. 2<sup>d</sup>. Mer. Indiana

161

a Sugar 12 in. dia. bran N 59 E 17 lks. dist. of  
a Beech 6 " " " N 12 E 23 " "

71.25 Let a post Cor. to Sec. 31 & 32, T<sup>h</sup>. N. R<sup>2</sup> E. from which  
a Beech 12 in. dia. bran N 75 E 17 lks. dist. of  
a Do 10 " " " N 39 W 20 " "

East On true line S. boundary of Sec. 32, T<sup>h</sup>. N. R<sup>2</sup> E.

40.00 Let the q. Sec. post on true line from which  
a Beech 10 in. dia. bran N 24 W 1 link dist. of  
a Do 12 " " " N 24 E 26 lks. "

80.00 Let a post Cor. to Sec. 32 & 33, T<sup>h</sup>. N. R<sup>2</sup> E. from which  
a W. Oak 10 in. dia. bran S 81 E 28 lks. dist. of  
a B. Oak 20 " " " S 70 W 11 " "

East On true line S. boundary of Sec. 33, T<sup>h</sup>. N. R<sup>2</sup> E.

40.00 Let the q. Sec. post, on true line, from which  
a Hickory 10 in. dia. bran N 86 E 12 lks. dist. of  
a W. Oak 12 " " " N 12 E 22 " "

80.00 Let a post Cor. to Sec. 33 & 34, T<sup>h</sup>. N. R<sup>2</sup> E. from which  
a Beech 10 in. dia. bran N 23 E 4 lks. dist. of  
a Do 8 " " " S 79 W 20 " "

East On true line S. boundary of Sec. 34, T<sup>h</sup>. N. R<sup>2</sup> E.

40.00 Let the q. Sec. post on true line from which  
a Beech 20 in. dia. bran S 84 E 24 lks. dist. of  
a Dogwood 8 " " " N 68 W 22 " "

80.00 Let a post Cor. to Sec. 34 & 35, T<sup>h</sup>. N. R<sup>2</sup> E. from which  
a Sugar 10 in. dia. bran S 64 E 10 lks. dist. of  
a Buckeye 12 " " " S 67 W 6 " "

East On true line S. boundary of Sec. 35, T<sup>h</sup>. N. R<sup>2</sup> E.

40.00 Let the q. Sec. post on true line, from which  
a Dogwood 6 in. dia. bran N 13 W 8 lks. dist. of



T4N R2E, 2<sup>d</sup> Mer. Indiana

a Beech 6 in. dia. bray N 83 W 15 lks. dist.  
 80.00 Let a post Cor. to Sec. 35 & 36, T5N. R2E, from which  
 a Beech 6 in. dia. bray S 57 E 27 lks. dist. of  
 a Walnut 12 " " " S 30 E 9 " "

East On true line S. boundary of Sec. 36, T5N. R2E.  
 40.00 Let the q. Sec. post on true line from which  
 a W. Oak 12 in. dia. bray S 21 W 7 lks. dist. of  
 a Dogwood 5 " " " S 80 E 43 " "  
 80.00 to the Town Corner.

West Boundary var. 7.30' E.  
 North On E. boundary of Sec. 36, T4N. R1E.  
 25.00 a Brook 15 lks. wide Cr. N. E.  
 35.00 a Do 30 " " " West  
 40.00 Let the q. Sec. post, from which  
 a Beech 10 in. dia. bray S 40 E 23 lks. dist. of  
 a Sugar 6 " " " S 15 W 18 " "  
 51.00 a Red Oak 20 in. dia.  
 80.00 Let a post Cor. to Sec. 25 & 36, T4N. R1E, from which  
 a Beech 10 in. dia. bray N 53 E 4 lks. dist. of  
 a Do 20 " " " S 13 E 30 " "  
 Over Good land, timber Beech &c.

North On E. boundary of Sec. 25, T4N. R1E.  
 40.00 Let the q. Sec. post, from which  
 a Sugar 10 in. dia. bray <sup>S 5 E</sup> 12 lks. dist. of  
 a W. Oak 15 " " " S 85 W 16 lks. dist.  
 80.00 Let a post Cor. to Sec. 24 & 25, <sup>on the River bank</sup> T4N. R1E, from which  
 a Hackberry 12 in. dia. bray N 45 W 21 lks. dist. of  
 a Do 10 " " " S 15 E 21 " "  
 Over very hilly Land, timber the same

44 N. R. 2 E. 2<sup>d</sup>. Mer. Indiana

163

North On E. boundary of Sec. 24, 54 N. R. 1 E.

81.50 At a post on the N.W. side of White River, from which  
a P. Walnut 12 in. dia. bear S 31 E 15 lks. dist. of  
a Do 10 " " " N 83 W 19 lks. "

35.00 a Spring S.E.

40.00 At the q. Sec. post, from which  
a Beech 6 in. dia. bear S 53 E 16 lks. dist. of  
a Do 8 " " " West 3 " "

80.00 At a post Cor. to Sec. 13 & 24, 54 N. R. 1 E, from which  
a Sugar 8 in. dia. bear N 25 W 9 lks. dist. of  
a Do 6 " " " S 25 E 19 " "

Good farming land, timber Sugar, Beech & Ash

North On E. boundary of Sec. 13, 54 N. R. 1 E.

40.00 At the q. Sec. post, from which  
a Lym 7 in. dia. bear S 63 E 9 lks. dist. of  
a Sugar 6 " " " N 84 W 19 " "

58.50 a Brook 100 lks. wide Cr. W. a few links below the fork

80.00 At a post Cor. to Sec. 12 & 13, 54 N. R. 1 E, from which  
a Beech 10 in. dia. bear N 42 E 2 lks. dist. of  
a Do 20 " " " N 82 E 24 " "

(Description Omitted)

North On E. boundary of Sec. 12, 54 N. R. 1 E.

32.50 Same brook 150 lks. wide

40.00 At the q. Sec. post in brook, no bearings

50.00 Same brook turned its course N.W.

55.00 a Buckeye 30 in. dia.

80.00 At a post Cor. to Sec. 11 & 12, 54 N. R. 1 E, from which  
a Beech 18 in. dia. bear S 50 E 15 lks. dist. of  
a ————— N 31 E 9 " "

Land Good, timber Beech, Elm, Ash & Oak &c.

T4N R2E2E. Mer. Indiana

North On E. boundary of Sec. 1, T4N. R1E.

40.00 Set the q. Sec. post, from which  
a Beech 6 in. dia. bray S84W24 lbs. dist. 8  
a Sugar 6 " " " S49W9 " "

59.80 a Brook 10 lbs. wide Cr. S.W.

80.00 Set a post Cor. to Town, 4 1/2 S. R. 2 E. from  
which a Beech 6 in. dia. bray S47E13 lbs. dist. 8  
a Sugar 12 " " " S75W8 " "  
Good farming land, timber Poplar, Sugar &c.

Subdivision.

North Between Sec. 35 & 36, T4N. R2E.

31.54 a Beech 20 in. dia.

40.00 Set a q. Sec. post from which  
a Beech 12 in. dia. bray S10E48 lbs. dist. 8  
a Do 12 " " " S15E12 " "

59.40 a Beech 20 " "

61.50 a Brook 10 lbs. wide Cr. N.E.

70.00 Same 10 " " " N.W.

74.15 a Brook 100 lbs. " " West

80.00 Set a post Cor. to Sec. 25, 26, 35 & 36, from which  
a Beech 20 in. dia. bray S1E46 lbs. dist. 8  
a Do 10 " " " " "

(Description Omitted)

East On Random between Sec. 25 & 36

8.50 a Brook 100 lbs. wide Cr. S.W.

18.50 Same 100 " " " N.W.

40.00 Set temp. q. Sec. post

79.89 Intersected the E. boundary 20 lbs. N. of Sec.  
Corner. Land level timber Beech.

West On true line between Sec. 25 & 36, T4N. R2E.



# T4 N. R2 E. 2<sup>d</sup> Mer. Indiana

165 ~~th~~

39.84 1/2 Let q. Sec. post at arf. dist. on true line, from which  
a Beech 12 in. dia. bear N 3 E 24 lbs. dist. 18  
a H. Oak 15 " " " N 75 W 5 " "

79.89 Sec. Corner

North Between Sec. 25 & 26, T4 N. R2 E.

2.00 a Brook 100 lbs. wide Cr. N.E.

4.10 a Poplar 24 in. dia.

8.50 Same Brook Cr. N.W.

40.00 Let the q. Sec. post, from which  
a Hickory 10 in. dia. bear S 84 W 8 lbs. dist. 8  
a do 12 " " " S 10 E 10 " "

80.00 Let a post Cor. to Sec. 23, 24, 25, 26, from which  
a Beech 40 in. dia. bear N 42 E 27 lbs. dist. 8  
an Elm 8 " " " S 15 W 9 " "

First 1/2 mile over hilly Oak & Hickory timbered  
land - last 1/2 mile over good farming level land.

East On Random between Sec. 24 & 25, T4 N. R2 E.

15.00 a Spring run 3 lbs. wide Cr. N.

30.00 Same 3 " " " S.W.

40.00 Let temp. q. Sec. post

46.00 Spring Course N.E.

53.50 a Spring run 8 lbs. wide Course N.

79.40 Intersected the E. boundary 50 lbs. N. of Corner.

Land level, timb. Beech, Sugar & Hickory

West On true line between Sec. 24 & 25, T4 N. R2 E.

39.70 Let q. Sec. post at arf. dist. on true line, from which  
a Hickory 15 in. dia. bear N 44 E 16 lbs. dist. 8  
a Beech 20 " " " S 69 E 21 " "

79.40 to Sec. Corner.

# Lat. 1° 22' E. 2<sup>nd</sup> Mer. Indiana

North Between Secs. 23 & 24, Lat. 1° 22' E.

24.63 Set a post on the left bank of N. River and the Indian boundary, from which  
a W. Walnut 10 in. dia. beam S 1 E 28 lks. dist. &  
a Redbud 6 " " " S 58 W 5 " "  
Land level & rich

---

North Between Secs. 34 & 35, Lat. 1° 22' E. 2<sup>nd</sup> Mer.

24.00 at Brook 10 lks. wide Cr. N.

40.00 Set the q. Sec. post, from which  
a Walnut 15 in. dia. beam S 85 E 21 lks. dist. &  
a Poplar 18 " " " S 35 E 28 " "

80.00 Set a post Cor. to Secs. 26, 27, 34 & 35, from which  
a Beech 24 in. dia. beam S 22 E 39 lks. dist. &  
a Gum 20 " " " S 60 E 5 " "  
Rich rolling land.

---

East On Random between Secs. 26 & 35

35.00 at Brook 100 lks. wide Cr. N.

40.00 Set temp. q. Sec. post

44.00 Same brook 100 lks. wide Cr. N.

63.00 Same 100 " " " N. N.

68.00 Same 100 " " " S. W.

74.00 Same 100 " " " N. N.

80.30 Intersected the N. & S. line 5 lks. S. of the Corner.  
Land rich.

---

West On true line between Secs. 26 & 35, Lat. 1° 22' E.

40.15 Set the q. Sec. post at av. dist. from which  
a Beech 10 in. dia. beam S 57 E 14 lks. dist. &  
a Beech 6 " " " S 45 W 13 " "

80.30 To Sec. Corner.

---

# T4 N. R2 E. 2<sup>d</sup> Mer. Indiana

North Between Sec. 26 & 27, T4 N. R2 E. 2<sup>d</sup> Mer.  
3.80 a W. Oak 20 in. diam.

40.00 Let the q. Sec. post, from which  
a Sugar 10 in. diam. bran N20 W 10 lbs. dist. of  
a Beech 10 " " " N73 W 5 " "

41.20 a B. Walnut 20 in. diam.

80.00 Let a post Cor. to Sec. 26, 27, 22 & 23, from which  
a Beech 6 in. diam. bran North 11 lbs. dist. of  
a Dogwood 7 " " " S58 E 10 " "  
This mile over rich rolling land

East On Random between Sec. 23 & 26, T4 N. R2 E.

8.50 a Brook 10 lbs. wide Course N.

40.00 Let temp. q. Sec. post

57.63 a Brook 10 lbs. wide Cr. North

80.00 Intersected the N & S line at the Sec. Corner  
Land level & rich, timber Beech, Hickory, Locust  
and Walnut.

West On true line between Sec. 23 & 26

40.00 Let q. Sec. post at ar. q. dist. on true line, from which  
a Hickory 10 in. diam. bran N60 E 29 lbs. dist. of  
a Hackberry 24 " " " N48 W 13 " "

80.00 to Sec. Corner.

North Between Sec. 22 & 23, T4 N. R2 E.

21.50 Let a post on the bank of White R. from which  
a Cottonwood 6 in. diam. bran S3 E 10 lbs. dist. of  
a Maple 6 " " " - 74 W 16 " "  
Land flat.

West Between Sec. 22 & 27, T4 N. R2 E.

30.00 to River bottom



# T4 N. R2 E. 2<sup>nd</sup> Mer. Indiana

- 40.00 Set the q. Sec. post, from which  
 a Hickory 15 in. dia. bears N73W 7 lks. dist. of  
 a B. Walnut 12 " " " N86E 32 " "
- 41.57 Set a post on the Bank of White River, from which  
 a Locust 10 in. dia. bears N72E 22 lks. dist. of  
 a B. Walnut 6 " " " S9E 16 " "
- This line over rich land, Timber, Beech, Hickory,  
 Hackberry & Walnut, under <sup>the</sup> Spice wood &c.  
 November 10. 1806.

West Between Secs. 27 & 34, T4 N. R2 E.

- 40.00 Set the q. Sec. post, from which  
 a Beech 20 in. dia. bears S34W 19 lks. dist. of  
 a Dogwood 7 " " " N54W 20 " "
- 43.00 a Spring run 3 lks. wide C.S. N.W.
- 45.25 Same run 3 " " " S.W.
- 72.00 Set a post on the Left bank of White R. from which  
 a Sycamore 20 in. dia. bears N23W 27 lks. dist. of  
 a Do 30 " " " S5W 38 " "
- Land Broken.

North Between Secs. 33 & 34, T4 N. R2 E.

- 1.00 a Hickory 20 in. dia.
- 5.00 a Brook 40 lks. wide C.S. N.W.
- 39.00 To an Elm 12 in. dia. at the Intersection  
 of the boundary on the bank of the River  
 This line over very rich level land, timber  
 Ash, Oak & Hackberry, under <sup>the</sup> Spice wood

North Between Secs. 32 & 33, T4 N. R2 E.

- 3.25 a Sycamore 20 in. dia.
- 3.77 Set a post on the bank of W. River, from which  
 a Maple 7 in. dia. bears N36E. 6 lks. dist. of

T4 N. R2 E. 2<sup>d</sup>. Mer. Indiana

169 ~~168~~

a Maple 8 in. dia. bear S 51 W 9 lks. dist. &  
Land timber &c. Same as on the last mile

---

North Between Secs. 31 & 32, T4 N. R2 E.

10.25 a W. Oak 20 in. dia.

35.00 Set a post on the Indian boundary, from  
which a Beech 20 in. dia. bear S 7 E 25 lks. dist. &  
an Elm 8 " " " N 48 W 14 " "  
Broken rich land, timber Sugar & Beech  
November 18<sup>th</sup> 1806.

40.00 Set the q. Sec. post, from which  
a Beech 6 in. dia. bear S 5 E 36 lks. dist. &  
a Poplar 9 " " " N 49 E 10 " "

47.00 a Beech 10 in. dia.

80.00 Set a post Cor. to Secs. 29, 30, 31 & 32, from which  
a Beech 20 in. dia. bear S 5 W 24 lks. dist. &  
a Do 10 " " " N 28 E 22 " "  
Land hilly, timber Beech, Poplar, Ash & Sugar.

---

West Between Secs. 30 & 31, T4 N. R2 E.

40.00 Set the q. Sec. post, from which  
a Beech 12 in. dia. bear S 36 W 23 lks. dist. &  
a Do 7 " " " S 79 W 21 " "

75.90 Intersected the W. boundary 98 lks. S. of the Cor.  
Set a post Cor. to Secs. 30 & 31, from which  
an Ironwood 8 in. dia. bear N 29 E 16 lks. dist. &  
a Sugar 8 " " " N 52 E 25 " "  
Land, timber &c. Same as on the last mile

---

East Between Secs. 29 & 32, T4 N. R2 E.

17.15 a Hickory 20 in. dia.

31.50 Set a post on the left bank of W. River from which  
a Beech 24 in. dia. bear N 82 W 31 lks. dist. &

# T4 N. R2 E. 2<sup>d</sup>. Mer. Indiana

a W. Walnut 12 in. dia. brans S82 E 10 lks. dist.  
Land timber &c. same as on the last mile

North Between Sec. 29 & 30, T4 N. R2 E.

10.00 a Brook 5 lks. wide C. E.

40.00 Set the g. Sec. post, from which

a Beech 12 in. dia. brans S97 W 18 lks. dist. &

a Sugar 7 " " " N6 E 14 " "

68.50 a Sugar 18 " "

80.00 Set a post Cor. to Sec. 19, 20, 29 & 30, from which

a Beech 10 in. dia. brans S20 E 22 lks. dist. &

a Do 12 " " " N3 E 30 " "

Land timber &c. same as on the last mile

East Between Sec. 20 & 29, T4 N. R2 E.

40.00 Set the g. Sec. post, from which

a Hackberry 6 in. dia. brans S58 W 7 lks. dist. &

a W. Walnut 12 " " " N58 E 17 " "

46.30 a W. Ash 14 in. dia. Corner on the River.

Land timber &c. same as on the last mile

North Between Sec. 19 & 20, T4 N. R2 E.

40.00 Set the g. Sec. post, from which

a Beech 12 in. dia. brans S83 E 36 lks. dist. &

a Hickory 8 " " " South 5 " "

56.65 Set a post on the left bank of White R. from which

a Ironwood 8 in. dia. brans S77 W 4 lks. dist. &

a Do 9 " " " N78 E 34 " "

Land rich.

West Between Sec. 19 & 30, T4 N. R2 E.

3.00 a Spring run 5 lks. wide C. N. W.

15.80 a Beech 20 in. dia.



4th N. R. 2 E. 2<sup>n</sup>. Mer. Indiana

40.00 Set the g. Sec. post, from which  
 a Beech 7 in. dia. bears S 84 E 20 lks. dist. &  
 a Do — " " " N 11 E 24 " "  
 77.81 Intersected the W. boundary at the corner.  
 Land level, timber Hackberry, ash, Walnut & Locust. Corn

South Between Sec. 1 & 2, 4th N. R. 2 E.

15.00 a Poplar 24 in. dia.  
 40.00 Set the g. Sec. post, from which  
 a Beech 6 in. dia. bears North 2 lks. dist.  
 80.00 Set a post Cor. to Sec. 1, 2, 11 & 12, from which  
 a Dogwood 6 in. dia. bears N 16 E 5 lks. dist. &  
 a Beech 18 " " " S 18 E 32 " "  
 Over very hilly land, timb. Oak, hickory & some chestnut.

East On Random between Sec. 1 & 12, 4th N. R. 2 E.

40.00 Set temp. g. Sec. post,  
 48.50 a Brook 12 lks. wide Cr. South  
 80.25 Intersected the E. boundary 10 lks. S. of the corner.  
 Land, timber &c. same as on the last mile

West On true line between Sec. 1 & 12, 4th N. R. 2 E.

40.12 Set g. Sec. post at ar. dist. on the true line, from  
 which an Ironw. 6 in. dia. bears S 80 W 32 lks. dist.  
 & a Beech 20 " " " S 33 W 22 " "  
 80.25 to Sec. Corner.

South Between Sec. 11 & 12, 4th N. R. 2 E.

40.00 Set the g. Sec. post, from which  
 a W. Oak 15 in. dia. bears N 7 E 26 lks. dist. &  
 a Dogw. 7 " " " S 25 W 7 " "  
 This post stands on the river bottom at the foot of a hill  
 80.00 Set a post Cor. to Sec. 11, 12, 13 & 14, from which

4th R2E. 2<sup>d</sup> Mer. Indiana

a Beech 10 in. dia. bear N57W 39 lks. dist. of  
 a Do 10 " " " N45 E 16 " "  
 Land level, timber Beech, Poplar &c.

East On Random between Sec. 12 & 13, 4th N. R2E.

40.00 Set temp. of Sec. post

48.60 a Brook 20 lks. wide Cr. South

80.45 Intersected the E. boundary 35 lks. S. of post

Land, timber &c. same as on the last mile

West On true line between Sec. 12 & 13, 4th N. R2E.

40.22 1/2 Set of Sec. post, from which

a Beech 15 in. dia. bear N18 E 7 lks. dist. of

a Do 20 " " " N69 W 34 " "

80.45 to Sec. Corner.

South Between Sec. 13 & 14, 4th N. R2E.

8.22 a Brook 25 lks. wide Cr. S. W.

40.00 Set the of Sec. post, from which

a Beech 10 in. dia. bear N44 E 12 lks. dist. of

a Do 10 " " " N14 W 10 " "

80.00 Set a post Corner to Sec. 13, 14, 23 & 24, from which

a Mulberry 20 in. dia. bear N1 W 48 lks. dist. of

an Ironwood 8 " " " S5 E 30 " "

Land timber &c. same as on the last mile

East On Random between Sec. 13 & 24, 4th N. R2E

40.00 Set temp. of Sec. post

80.95 Intersected the E. boundary 60 lks. S. of post

Land rich and level.

West On true line between Sec. 13 & 24

40.47 1/2 Set of Sec. post at av. dist. from which

Tr. N 2 E. 2<sup>d</sup>. Mer. Indiana

173

a Hackberry 18 in. diam. bran S 21 E 16 lks. dist. of  
a do 10 " " " N 65 E 29 " "  
80.95 to Sec. Corner.

---

South Between Sec. 23 & 24, Tr. N 2 E.

1.50 a Brook 25 lks. wide Cr. S. E.  
18.24 to a Hickory 15 in. diam. Corner on the River  
Bank. Land, timber &c. Same as last mile

---

South Between Sec. 2 & 3, Tr. N 2 E.

14.75 a Brook 75 lks. wide Cr. S. W.  
40.00 At the q. Sec. post, from which  
a Poplar 40 in. diam. bran S 11 E 20 lks. dist. of  
a Beech 10 " " " N 40 E 31 " "  
57.00 a Brook 10 lks. wide Cr. West  
66.25 a Sugar 28 in. diam.  
80.00 At a post Cor. to Sec. 2, 3, 10 & 11, from which  
a Poplar 38 in. diam. bran N 30 W 3 lks. dist. of  
a Mulberry 8 " " " S 76 E 6 " "  
Good Land, timber Walnut, Ash &c

---

East On Random between Sec. 2 & 11, Tr. N 2 E.

13.50 a Brook 10 lks. wide Cr. N. W.  
40.00 At temp. q. Sec. post  
80.00 Intersected the N & S. line at the corner.  
Land timber &c. Same as on the last mile

---

West On true line between Sec. 2 & 11

40.00 At q. Sec. post at av. dist. on true line, from which  
a Beech 20 in. diam. bran N 87 W 128 lks. dist. of  
a do 20 " " " S 45 E 19 " "  
80.00 to Sec. Corner.

---



T4N R2E 2<sup>nd</sup> Mer. Indiana

South Between Secs. 10 &amp; 11, T4N. R2E.

- 40.00 Set the q. Sec. post, from which  
 a Beech 10 in. dia. bray S33°W 12 lks. dist. of  
 a Dogwood 6 " " " N19°W 28 " "  
 80.00 Set a post Cor. to Secs. 10, 11, 14 & 15, from which  
 a Beech 10 in. dia. bray N41°W 25 lks. dist. of  
 a Sugar 18 " " " S24°E 20 " "  
 Land & timber the same
- 

East On Random between Secs. 11 &amp; 14, T4N. R2E.

- 40.00 Set temp. q. Sec. post  
 80.10 Intersected the N & S. line 10 lks. S. of the post  
 Land, timber &c. same as on the last mile
- 

West On true line between Secs. 11 &amp; 14, T4N. R2E.

- 40.05 Set the q. Sec. post at av. dist. on true line from  
 which a Sugar 10 in. dia. bray N65°E 14 lks. dist.  
 of a Gum 10 " " " S51°W 20 " "  
 80.10 to the Sec. Corner.
- 

South Between Secs. 14 &amp; 15, T4N. R2E.

- 23.00 a Brook 10 lks. wide Cr. S.W.  
 40.00 Set the q. Sec. post, from which  
 a Beech 10 in. dia. bray S34°W 13 lks. dist. of  
 a Sugar 10 " " " S34°W 13 " "  
 72.40 a W. Ash 20 " "  
 80.00 Set a post Cor. to Secs. 14, 15, 22 & 23, from which  
 a W. Ash 10 in. dia. bray S69°E 11 lks. dist. of  
 a Walnut 10 " " " N5°W 17 " "  
 Land timber &c. same as on the last mile
- 

East On Random between Secs. 14 &amp; 23, T4N. R2E

- 20.00 a Brook 12 lks. wide Cr. South

# 175<sup>#</sup>

## T4S. R2E. 2<sup>d</sup>. Mer. Indiana

40.00 Set temp. g. Sec. post  
 72.00 a Brook 75 lks. wide C. S. E.  
 80.85 Intersected the N. & S. line 12 lks. S. of the Cor.  
 Land level on the last  $\frac{1}{2}$  mile rich

West On true line between Sec. 14 & 23, T4S. R2E.  
 40.42 $\frac{1}{2}$  Set g. Sec. post on true line at av. dist. from which  
     a Sugar 20 in. dia. bray S 65 W 10 lks. dist. of  
     a do 18 " " " N 82 E 12 " "  
 80.85 to Sec. Cor.

South Between Sec. 22 & 23, T4S. R2E.  
 40.00 Set the g. Sec. post, from which  
     a Hickory 20 in. dia. bray S 22 W 9 lks. dist. of  
     a Mulberry 10 " " " S 14 E 50 " "  
 49.50 a Sycamore 40 in. dia.  
 50.76 Set a post on the River bank, from which  
     a Sycamore 30 in. dia. bray S 4 E 16 lks. dist. of  
     a Hackberry 6 " " " N 64 W 16 " "  
 Land rich & level, timber Ash, Oak, Hickory &c.

South Between Sec. 3 & 4, T4S. R2E.  
 40.00 Set the g. Sec. post, from which  
     an Ironwood 6 in. dia. bray N 52 E 9 lks. dist. of  
     a Beech 8 " " " S 13 W 22 " "  
 78.00 a Brook 75 lks. wide C. S. E.  
 80.00 Set a post Cor. to Sec. 3, 4, 9, 10, on a very steep hill  
     side from which  
     an Ironwood 6 in. dia. bray N 32 E 10 lks. dist. of  
     a do 4 " " " S 64 W 12 " "  
 Land hilly, timber Oak, Beech, ash, hickory &c.

East On Random between Sec. 3 & 10, T4S. R2E.

T4N R2E, 2<sup>d</sup>. Mer. Indiana

40.00 Set the q. Sec. post temporary  
 80.00 Intersected the N & S. line 15 lks. S. of the cor.  
 Land timber &c. same as on the last mile.

---

West On true line between Secs. 3 & 10, T4N. R2E.  
 40.00 Set q. Sec. post at ar. dist. from which  
     a Beech 10 in. dia. bears S 29° W 12 lks. dist. &  
     a Dogwood 6 " " " S 84° E 15 " "  
 80.00 to Sec. Corner.

---

South Between Secs. 9 & 10, T4N. R2E.

40.00 Set the q. Sec. post, from which  
     a White Oak 20 in. dia. bears S 77° E 11 lks. dist. &  
     a Hickory 10 " " " N 62° W 19 " "  
 80.00 Set a post cor. to Secs. 9, 10, 15 & 16, from which  
     a Maple 18 in. dia. bears N 84° E 20 lks. dist. &  
     a Beech 12 " " " S 72° W 32 " "  
 Land very hilly

---

East On Random between Secs. 10 & 15, T4N. R2E.

3.00 at Brook 10 lks. wide Cr. S. E.  
 15.00 a do 10 " " " South  
 40.00 Set temp. q. Sec. post  
 70.75 a Brook 10 lks. wide Cr. South  
 80.00 intersected the N & S. line 8 lks. S. of the corner.  
 (Description of the land & timber omitted)

---

West Connected between Secs. 10 & 15, T4N. R2E.

40.00 Set q. Sec. post at ar. dist. on true line, from which  
     a Beech 10 in. dia. bears N 4° W 5 lks. dist. &  
     a do 10 " " " S 57° W 16 " "  
 80.00 to Sec. Corner.

---

177

T4N-R2E-2<sup>nd</sup> Mer. Indiana

South Between Secs. 15 & 16, T4N, R2E.

11.80 a Beech 24 in. dia.

40.00 Set the q. Sec. post, from which  
a Beech 10 in. dia. bears N34W 16 lks. dist. &  
a Do 9 " " " N15W 22 " "

80.00 Set a post Cor. to Secs. 15, 16, 21 & 22, from which  
a Beech 10 in. dia. bears S77W 17 lks. dist. &  
a Sugar 10 " " " N62E 7 " "

Good farming land, timber the same, undg. Office.

---

East On Random between Secs. 15 & 22, T4N, R2E.

40.00 Set temp. q. Sec. post

57.25 a Brook 18 lks. wide Cr. South

80.95 Intersected the N & S. line 10 lks. S. of the Corner.  
Land, timber &c. same as on the last mile

---

West On true line between Secs. 15 & 22, T4N, R2E.

40.47 1/2 Set q. Sec. post, at av. J. dist. on true line from which  
a Beech 20 in. dia. bears S69W 25 lks. dist. &  
a Do 7 " " " N24E 3 " "

80.95 to Sec. Cor.

---

South Between Secs. 21 & 22, T4N, R2E.

40.00 Set the q. Sec. post, from which  
a Maple 20 in. dia. bears N22E 15 lks. dist. &  
an Ironw. 8 " " " S86W 9 " "

80.00 Set a post Cor. to Secs. 21, 22, 27, 28, from which  
an Ash 12 in. dia. bears S20W 39 lks. dist. &  
a Beech 20 " " " S80E 16 " "

Land level & rich, timber the same.

---

East Between Secs. 22 & 27, T4N, R2E.

36.67 Set a post on the river bank, from which



# *T4 N. R2 E. 2<sup>d</sup>. Mer. Indiana*

a Hickory 10 in. diam. bray N13W5 lks. dist. of  
a Do 6 " " " S55E16 " "  
Land timber &c. same as on the last mile

South Between Secs. 27 & 28, T4 N. R2 E.  
25.00 a Pond 5 ch. E & W.

40.00 Let the q. Sec. post, from which  
a W. Oak 12 in. diam. bray N18E9 lks. dist. of  
a Hickory 10 " " " N69W9 " "

42.50 an Elm 12 " "

80.00 Let a post Cor. to. Secs. 27, 28, 33 & 34, from which  
a Hickory 10 in. diam. bray S26E20 lks. dist. of  
a Ironwood 6 " " " N8W17 " "  
Land timber &c. same as on the last mile.

East Between Secs. 27 & 34, T4 N. R2 E.

6.72 Let a post on the River bank, from which  
a Boxelder 12 in. diam. bray S21E6 lks. dist. of  
a Ironwood 6 " " " N14W5 " "

Land, timber &c. same as on the last mile

South Between Secs. 33 & 34, T4 N. R2 E.

8.00 a Beech 20 in. diam. bray

35.74 Let a post on the River bank from which  
a Cottonwood 8 in. diam. bray S72E66 lks. dist. of  
Land, timber &c. same as on the last mile

South Between Secs. 4 & 5, T4 N. R2 E. 2<sup>d</sup>. Mer.

4.50 a Brook 10 lks. wide C & W

34.00 a Do 8 " " " W

40.00 Let the q. Sec. post, from which  
a Chestnut 18 in. diam. bray N50W20 lks. dist. of  
a Beech 6 " " " S43W4 " "

T4 N R2 E. 2<sup>d</sup> Mer. Indiana 179<sup>#</sup>

50.25 a W. Oak 11 in. dia.

80.00 Set a post Cor. to Sec. 4, 5, 8 & 9, from which  
a Beech 12 in. dia. bears N 71 W 22 lks. dist. &  
a W. Ash 12 " " " N 42 E 25 " "  
Land very hilly, timber the same.

---

East On Random between Sec. 4 & 9, T4 N. R2 E.

40.00 Set temp. q. Sec. post

60.00 a Brook 75 lks. wide Cr. S. W.

80.00 Intersected the N & S. line 12 lks. S. of Corner  
Land timber &c. same as on the last mile

---

West On true line between Sec. 4 & 9, T4 N. R2 E.

40.00 Set q. Sec. post at ar. dist. on true line, from which  
a Beech 10 in. dia. bears N 68 W 29 lks. dist. &  
a Sugar 10 " " " N 44 E 25 " "

80.00 to Sec. Corner.

---

South Between Sec. 8 & 9, T4 N. R2 E.

40.00 Set the q. Sec. post, from which

a W. Oak 18 in. dia. bears S 38 E 13 lks. dist. &

a Do 9 " " " N 61 W 17 " "

80.00 Set a post Cor. to Sec. 8, 9, 16 & 17, from which  
a Beech 20 in. dia. bears S 53 W 9 lks. dist. &  
a Do 12 " " " N 8 W 26 " "

Land timber &c. same as on the last mile

---

East On Random between Sec. 9 & 16, T4 N. R2 E.

7.50 a Brook 75 lks. wide Cr. S.

40.00 Set temp. q. Sec. post,

80.00 Intersected the N & S. line 12 lks. N. of the Cor.  
Land timber &c. same as on the last mile.

---

# T4N. R2E. 2<sup>d</sup> Mer. Indiana

West On true line between Sec. 9 & 16

40.00 Set the q. Sec. post at av. dist. from which  
a Hickory 10 in. dia. bears N 22 W 17 lks. dist. of  
a Maple 12 " " " N 17 W 23 " "  
80.00 to Sec. Corner.

South Between Sec. 16 & 17, T4N. R2E.

13.00 at Brook 10 lks. wide Cr. off.

40.00 Set the q. Sec. post, from which  
a W. Oak 10 in. dia. bears S 26 E 5 lks. dist. of  
a Do 9 " " " N 7 W 24 " "

57.10 on Ash 24 " "

70.50 Set a post on the River bank, from which  
a Box Elder 12 in. dia. bears N 70 E 24 lks. dist. of  
a B. Walnut 10 " " " N 80 W 23 " "  
Land &c. same hilly

West Between Sec. 28 & 33, T4N. R2E.

40.00 in a pond 4 chains wide (no bearings)

80.00 Set a post Cor. to Sec. 28, 29, 32 & 33, from which  
a Dogwood 7 in. dia. bears S 10 E 8 lks. dist. of  
a Beech 28 " " " N 78 W 31 " "

Land hilly & rich, timber Oak, Hickory & Beech

West Between Sec. 29 & 32, T4N. R2E

30.21 Set a post on the River bank, from which  
a Sugar 8 in. dia. bears S 8 W 13 lks. dist. of  
a Do 10 " " " N 69 W 12 " "

Land timber &c. same as on the last mile

South Between Sec. 32 & 33, T4N. R2E.

14.50 at Brook 10 lks. wide Cr. off.

40.00 Set the q. Sec. post, from which

# 4th R2E. 2d Mer. Indiana

181

a. — 6 in. dia. beam S53W 28 lks. dist. of

a do 6 " " " S34W 32 " "

66.82 Set a post on the River bank, from which  
a Walnut 20 in. dia. beam South 1 link.

Sand, timber &c. same as on the last mile.

North Between Secs. 28 & 29, 4th R2E.

26.50 a Brook 10 lks. wide Cr. West

40.00 Set the q. Sec. post. from which

a Beech 6 in. dia. beam S44E 3 lks. dist. of

a Sugar 10 " " " N60W 27 " "

80.00 Set a post Cor. to Secs. 20, 21, 28 & 29, from which

a W. Oak 20 in. dia. beam N34E 16 lks. dist. of

a Hickory 15 " " " N83W 20 " "

Sand timber &c. same as on the last mile

East On Random between Secs. 21 & 28, 4th R2E

40.00 Set temp. q. Sec. post

45.00 a Pond 4 chains wide N & S.

59.50 a do 5 " " " N & S.

80.05 Intersected the N & S line at the corner

Sand timber &c. same as on the last mile

West On true line between Secs. 21 & 28, 4th R2E.

40.02 1/2 Set q. Sec. post at ar. dist. on true line, from which

a W. Oak 38 in. dia. beam S67E 33 lks. dist. of

a Sugar 6 " " " N63W 12 " "

80.05 to Sec. Corner.

West Between Secs. 20 & 29, 4th R2E.

18.59 Set a post on the River bank, from which

a Red Bud 8 in. dia. beam S36E 18 lks. dist. of

a W. Oak 8 " " " S60W 16 " "



# T4N R2E. 2<sup>d</sup> Mer. Indiana

North Between Secs. 20 & 21, T4N, R2E

14.50 Set a post on the River bank from which  
a W. Oak 20 in. dia. beam N 63° W 13 lks. dist. of  
an Ironw. 10 " " " S 85° E 15 " "  
Sand level.

---

West Between ~~Between~~ Secs. 16 & 21, T4N, R2E.

40.00 Set the q. Sec. post, from which  
a Beech 24 in. dia. beam S 65° W 22 lks. dist. of  
a do 6 " " " S 74° E 13 " "  
67.50 Set a post on the River bank, from which  
an Ironwood 8 in. dia. beam N 71° E 18 lks. dist. of  
a Red Oak 10 " " " S 22° E 29 " "  
Sand the same, hilly, Beech, Poplar &c.

---

South Between Secs. 5 & 6, T4N, R2E.

40.00 Set the q. Sec. post, from which  
a Beech 8 in. dia. beam N 12° E 31 lks. dist. of  
a Hickory 6 " " " N 70° E 6 " "  
42.50 a Brook 10 lks. wide Cr. East  
80.00 Set a post Cor. to Secs. 5, 6, 7 & 8, from which  
a Beech 8 in. dia. beam N 58° W 14 lks. dist. of  
a do 8 " " " S 5° E 21 " "  
Sand hilly, timber, Beech, Poplar, Oak & Hickory

---

East On Random between Secs. 5 & 8, T4N, R2E.

40.00 Set temp. q. Sec. post  
55.00 a Brook 50 lks. wide Cr. South  
80.00 Intersected the N & S line 10 lks. S. of the post.  
Sand timber &c. Same as on the last mile

---

West On true line between Secs. 5 & 8, T4N, R2E.

40.00 Set q. Sec. post at ar. dist. on true line from which

# *4th R.R.E. 2<sup>nd</sup> Mer. Indiana*

a W. Ash 8 in. dia. bran N 40 E 14 lks. dist. of  
a Cherry 10 " " " S 61 E 9 " "  
80.00 to Sec. Corner.

West Between Sec. 6 & 7, T4 N. R2 E.  
3.50 a Poplar 20 in. dia.  
40.00 Let the q. Sec. post, from which  
a Beech 5 in. dia. bran N 57 E 3 lks. dist. of  
an Ash 12 " " " S 57 W 6 " "  
70.55 Let a post on the N. boundary 39 lks. South  
of the Sec. Cor. from which  
a Beech 18 in. dia. bran N 75 E 17 lks. dist. of  
a Do 18 " " " S 36 W 14 " "  
Sand timber &c. Same as on the last mile

South Between Sec. 7 & 8, T4 N. R2 E.  
40.00 Let the q. Sec. post, from which  
a Beech 10 in. dia. bran N 24 E 13 lks. dist. of  
a Do 20 " " " S 1 W 12 " "  
47.80 a Brook 75 lks. wide C. & S. W.  
80.00 Let a post, Cor. to Sec. 7, 8, 17 & 18, from which  
a Beech 5 in. dia. bran N 2 W 12 lks. dist. of  
a Do 6 " " " S 18 E 14 " "  
Sand, timber &c. Same as on the last mile

East On Random between Sec. 8 & 17  
40.00 Let temp. q. Sec. post  
80.45 Intersected the N & S. line 12 lks. S. of the Cor.  
Sand timber &c. Same as on the last mile.

West On true line between Sec. 8 & 17, T4 N. R2 E.  
40.22 Let q. Sec. post at av. dist. from which  
a W. Ash - in. dia. bran N 85 E 1.39 lks. dist.

T4 N. R2 E. 2<sup>d</sup>. Mer. Indiana

80.45 to Sec. Corner.

---

West Between Sec. 7 & 18, T4 N. R2 E.

14.00 a Sugar 18 in. diam.

40.00 Set the gr. Sec. post, from which  
a Beech 6 in. diam. bears S4 E 5 lks. dist. of  
a Do 8 " " " N58 W 7 " "

48.00 a Brook 75 lks. wide Cr. South

69.11 Intersected the W. boundary 139 lks. S. of post  
Set a post Cor. to Sec. 7 & 18, from which  
a Beech 10 in. diam. bears N63 E 23 lks. dist. of  
a Do 20 " " " S63 W 10 " "  
Land timber &c. Same as on the last mile

---

South Between Sec. 17 & 18, T4 N. R2 E.

18.20 a W. Ash 12 in. diam.

27.00 a Brook 75 lks. wide Cr. S. W.

40.00 Set the gr. Sec. post, from which  
a Sugar 12 in. diam. bears S60 E 11 lks. dist. of  
a Do 10 " " " S69 W 15 " "80.00 Set a post Cor. to Sec. 17, 18, 19 & 20, from which  
a Beech 8 in. diam. bears N15 W 10 lks. dist. of  
a Do 6 " " " S30 W 9 " "  
Land, timber &c. Same as on the last mile

---

East Between Sec. 17 & 20, T4 N. R2 E.28.25 Set a post on the River bank, from which  
a W. Ash 20 in. diam. bears S59 W 34 lks. dist.  
of a Lynn 24 " " " S77 E 17 " "  
Land very hilly.

---

South Between Sec. 19 & 20, T4 N. R2 E.

22.18 to a Beech 10 in. diam. Corner on the River bank

34<sup>th</sup> N. R. 2 E. T. Mer. Indiana

185<sup>th</sup>

Land timber &c. same as on the last mile

---

Met Between Sec. 18 & 19, 34<sup>th</sup> N. R. 2 E.

40.00 At the q. Sec. post, from which

a Beech 20 in. dia. bears N 38° W 18 lks. dist. &

a Do 6 " " " S 60° W 18 " "

68.64 Intersected the W. boundary 188 lks. S. of corner

Set a post Cor. to Sec. 18 & 19, from which

a Sugar 6 in. dia. bears S 77° W 23 lks. dist. &

a Do 10 " " " S 80° E 38 " "

Land timber &c. same as on the last mile

---

Meanders of the Left bank of White River

Commencing at a post on the Range line

between Ranges 2 & 3 E. Thence downstream.

N 49° W 3.00 in Sec. 24, 34<sup>th</sup> N. R. 2 E.

S 60° W 5.50

S 70° W 10.00

S 86° W 2.50

N 77° W 8.50

N 61° W 6.00

N 70° W 7.00

Met 4.50

S 52° W 4.00

S 36° W 11.50

S 18° W 8.50

S 62° W 6.50

S 85° W 3.50

N 83° W 5.50

N 70° W 2.50

N 54° W 5.50

N 22° W 1.76 to the line between Sec. 23 & 24

---



# *T4N. R2E. 2<sup>d</sup>. Mer. Indiana*

N39W	3.00	in Sec. 23, T4N. R2E.
N19W	7.00	
N5E	2.50	
N13E	4.50	
N29W	11.00	
N58W	7.72	
S53W	11.10	
S38W	4.40	
South	2.50	
S49W	7.50	
S64W	11.73	a Creek 100 yds. wide
S71W	3.87	
N70W	1.00	
West	14.75	
N65W	2.00	
West	4.25	
S70W	3.50	
S85W	3.76	
S53W	14.00	
S22W	5.64	to the line between Sec. 22 & 23

---

S22W	2.00	in Sec. 22, T4N. R2E.
S52W	3.50	
S79W	3.00	
N72W	5.50	
N45W	5.30	
N53W	1.37	Intersected Indian boundary line
N53W	1.00	
N23W	2.91	
N8W	4.50	
N12E	6.16	
N28E	3.27	
N48W	3.05	

# *4th R2E, T<sup>n</sup>. Mer. Indiana*

187

S83W 7.24

S61W 4.31

S25W 6.33

S13W 1.68

S24W 3.77

S2W 8.64

S14W 9.82

S35W 3.76

S29W 1.25 to the Old Indian boundary line

There are some Courses and distances wanting  
to reach the line betw<sup>n</sup>. Sec<sup>s</sup> 22 & 27. S.M.

S22W 8.67 in Sec. 27, 4th R2E.

S39W 2.46

S25W 15.00

S30W 6.29

S15W 3.27

South 6.15

S11W 10.76

S4E 1.00

S12W 2.30

S17W 7.28

S29W 2.82

S34W 17.94

S57W 0.59 to the line between Sec<sup>s</sup>. 27 & 34

S2W 10.66 in Sec. 24, 4th R2E. June 3. 1807

S8E 6.45

S33E 3.00

S13E 7.00

S17W 2.06

S27W 6.02

S38W 4.50

# *T4N R2E T<sup>h</sup> Mer. Indiana*

*S29W 1.81*

*S56W 4.21 to the line between Sec. 33 & 34*

---

*S52W 6.56 in Sec. 33, T4N R2E.*

*S65W 3.70*

*S77W 4.92*

*S66W 3.70*

*S52W 3.23*

*S39W 1.50*

*S16W 7.00*

*S6W 8.29 a Creek 60 lks. wide*

*S11W 1.46*

*S11W 4.95*

*S39W 2.65*

*S70W 0.94 to post in the S. boundary of the Township*

---

*From post in S. boundary N. side of bend  
Thence down stream.*

*N60W 4.07 in Sec. 33, T4N R2E, T<sup>h</sup> Mer.*

*N34W 5.00*

*N5W 7.35*

*N5E 1.93*

*N14E 2.25*

*N15W 6.16*

*N51W 2.50*

*N77W 2.50*

*S87W 1.86*

*S63W 14.39*

*S54W 5.61*

*S46W 16.11 to a post in S. boundary*

---

*From post in the S. boundary West side  
of bend, thence down stream.*

# T4N R2E 2<sup>d</sup>. Mer. Indiana

N72W 4.35 in Sec. 32, T4N. R2E.

N58W 19.20

N35W 5.12

N9W 8.33

N10E 2.98

N21E 6.42

N30E 1.57

N40E 8.45

N52E 7.68

N31E 3.46

N7W 3.41

N47W 10.52

N30W 2.71

Intersected the Old Indian boundary  
line. Surveyed June 4<sup>th</sup> 1807

By William Harris, D.S.

Left Bank Continued, from Corner  
of Sec. 24 & 25, thence up stream  
in Sec. 19, T4N. R2E.

N87E 16.50

N76E 9.25

N57E 15.50

N45E 18.50

N41E 15.00

N35E 14.00

N43E 5.00

N42E 7.50 to the line between Sec. 19 & 20

N48E 7.50 in Sec. 20, T4N. R2E.

N62E 11.50

N75E 7.00

N71E 15.00

N63E 14.50

N87E 9.00

N70E 10.50



## T4N R2E.2 Mer. Indiana

S53E 7.50	
S36E 8.50	
S14E 8.50	
S3E 11.00	
S3N 14.00	
S15N 6.00	
S47N 9.00	
S57N 22.50	
S47N 7.50	
S44N 4.72	to the line between Sec. 20 & 29
<hr/>	
S44N 5.00	in Sec. 29, T4N. R2E.
S39N 18.00	
S27N 7.50	
S33N 10.50	
S20N 12.00	
S19E 14.00	
S23E 17.00	
S19E 6.07	to the line between Sec. 29 & 32
<hr/>	
S26E 13.50	in Sec. 32, T4N. R2E.
S39E 8.00	to the corner on the old Indian bound- ary line, where Mr. Harris left off

Meanders of the Right bank of White River  
from post on the line between Ranges 18 & 20 E.  
- Thence up stream.

N87E 17.50	in Sec. 19, T4N. R2E.
N65E 15.50	
N50E 14.50	
N39E 30.50	
N42E 7.08	to line between Sec. 19 & 20

# T4N-R2E, 2<sup>d</sup>. Mer. Indiana

N35E	7.00	in Sec. 20, T4N-R2E.
N50E	8.50	
N58E	15.50	
N64E	5.08	to the line between Secs. 17 & 20
N77E	14.50	in Sec. 17, T4N-R2E
N66E	18.50	
N83E	11.00	
S74E	4.50	
S71E	6.04	to the line between Secs. 16 & 17
S60E	9.50	in Sec. 16, T4N-R2E.
S43E	6.76	to the line between Secs. 16 & 21
S33E	13.00	in Sec. 21, T4N-R2E.
S1E	18.50	
S12W	6.25	
S8W	20.00	
S53W	13.50	
S62W	4.41	to the line between Secs. 20 & 21
S58W	7.50	in Sec. 20, T4N-R2E.
S52W	9.00	
S46W	7.06	to the line between Secs. 20 & 29
S42W	13.50	in Sec. 29, T4N-R2E.
S35W	25.00	
S11W	10.00	
S15E	9.50	
S23E	10.50	
S18E	11.50	
S23E	4.50	
S26E	5.90	to the line between Secs. 29 & 30.

# *T4N R2E. 2<sup>nd</sup> Mer. Indiana*

<i>S33E</i>	<i>14.50</i>	<i>in Sec. 32, T4N. R2E.</i>
<i>S43E</i>	<i>10.50</i>	<i>a Brook 8 lks. wide</i>
<i>S25E</i>	<i>11.00</i>	
<i>S40W</i>	<i>6.00</i>	
<i>S56W</i>	<i>11.00</i>	
<i>S34W</i>	<i>13.00</i>	
<i>S30E</i>	<i>11.00</i>	
<i>S53E</i>	<i>4.75</i>	
<i>S59E</i>	<i>10.25</i>	
<i>East</i>	<i>6.50</i>	
<i>N69E</i>	<i>6.56</i>	<i>to the line between Sec. 32 &amp; 33.</i>
<i>N54E</i>	<i>23.50</i>	<i>in Sec. 33, T4N. R2E. 2<sup>nd</sup> Mer.</i>
<i>N65E</i>	<i>9.00</i>	
<i>N55E</i>	<i>3.50</i>	
<i>N70E</i>	<i>12.00</i>	
<i>S73E</i>	<i>6.00</i>	
<i>S29E</i>	<i>8.00</i>	
<i>S7E</i>	<i>18.50</i>	
<i>S87E</i>	<i>4.50</i>	
<i>N21E</i>	<i>4.00</i>	
<i>N4W</i>	<i>7.00</i>	
<i>N7E</i>	<i>11.00</i>	
<i>N36E</i>	<i>9.00</i>	
<i>N70E</i>	<i>15.17</i>	<i>to the line between Sec. 33 &amp; 34</i>
<i>N44E</i>	<i>15.00</i>	<i>in Sec. 34, T4N. R2E.</i>
<i>N7W</i>	<i>9.00</i>	
<i>N13W</i>	<i>11.25</i>	
<i>N1W</i>	<i>5.16</i>	<i>to the line between Sec. 27 &amp; 34</i>
<i>N5E</i>	<i>8.50</i>	<i>in Sec. 27, T4N. R2E.</i>
<i>N30E</i>	<i>28.50</i>	

# T4 N. R2 E. 2<sup>nd</sup> Mer. Indiana

193 ~~18~~

N5 E	16.50	
N15 E	6.50	
N25 E	13.00	
N29 E	13.00	
N24 E	0.85	to the line between Sec. 22 & 27

N24 E	17.40	in Sec. 22, T4 N. R2 E.
N34 E	7.50	
N14 E	10.00	
N32 E	10.50	
N70 E	8.50	
N79 E	9.75	
N34 E	15.00	
N68 E	4.40	line between Sec. 22 & 23

N44 E	17.50	in Sec. 23, T4 N. R2 E.
N86 E	3.50	a Brook 38 lks. wide
N86 E	36.50	
N48 E	9.50	
N44 E	12.50	
N70 E	7.00	
N80 E	7.50	to the line between Sec. 23 & 24

N64 E	4.75	in Sec. 24, T4 N. R2 E.
N29 E	6.50	
N3 E	5.50	
N10 E	5.50	a brook 20 lks. wide
N10 E	2.00	
N35 E	15.00	
N45 E	5.50	
N30 E	14.00	
N51 E	6.00	
N71 E	7.50	



T4th R2E2<sup>nd</sup> Mer. Indiana

S79 E 25.00

N80 E 7.00

N59 E 7.00

N51 E 4.70

to post in the E. boundary T4th R2E.  
 Surveyed in 1810 by Arthur H. H. H.  
 Comp?

I certify that the foregoing transcript of field notes  
 of Township N. 4th. Range N. 2 E. 2<sup>nd</sup> Mer.  
 Indiana, has been Compared with original  
 notes in this office, and found to be Correct.  
 Surveyor General's Office  
 Cincinnati, Feb. 18. 1841

E. S. Cairnes  
 Sur. Genl.